The following preventive services apply to Deseret Choice Hawaii, Deseret Premier, Deseret Protect, Deseret Select, and Deseret Value.

PREVENTIVE SERVICE	PROCEDURE CODE(S)	ICD-10-CM CODE(S)
The following services are considered integral to preventive medicine comprehensive evaluation and management services (i.e., wellness examinations) and not eligible for separate reimbursement:  • Administration/interpretation of Health Risk • Anxiety screening • Autism screening • Blood pressure measurement for high blood pressure screening/preeclampsia screening • Breast cancer chemoprevention counseling with women at risk for breast cancer • Breastfeeding primary care interventions • Counseling related to sexual behavior/sexually transmitted infection (STI) prevention • Counseling to prevent initiation of tobacco use • Counseling/education to minimize exposure to ultraviolet radiation (skin cancer prevention) • Critical congenital heart disease screening • Discussion of aspirin prophylaxis • Discussion/referral for genetic counseling/evaluation for BRCA testing • Falls prevention risk assessment • Hearing (other than newborn) and vision screening • Intimate partner/interpersonal and domestic violence screening/referral to support services • Maternal depression screening • Obesity screening • Ocular prophylaxis (newborn gonorrhea prophylactic medications) • Oral health assessment/discussion of water fluoridation • Tobacco use screening • Tuberculosis (TB) risk assessment • Unhealthy alcohol use and substance abuse screening • Urinary incontinence screening	Newborn 99460, 99462, 99463 Ages 0 to 5 years (ends on 5th birthday) 99381, 99382, 99391, 99392 Ages 5 years and older Limited to 1 per calendar year* 99383, 99384, 99385, 99386, 99387, 99393, 99394, 99395, 99396, 99397 Well-woman (Gynecological) Limited to 1 per calendar year* S0610, S0612, S0613  * Women are eligible for one routine and one gynecological exam per year	Subject to correct coding guidelines
The following are billable preventive services and recommended in preventive exam and are eligible for separate reimbursement by Lead of the services and recommended in preventive exam and are eligible for separate reimbursement by Lead of the services and recommended in December 2019.  The USPSTF recommends one-time screening for abdominal aortic		sult of performing an annual  Must be billed with the following ICL  10 code:  287.891

PREVENTIVE SERVICE	PROCEDURE CODE(S)	ICD-10-CM CODE(S)
BRCA-Related Cancer: Risk Assessment, Genetic Counseling, and Genetic Testing  USPSTF "B" Recommendation August 2019  USPSTF recommends that primary care clinicians assess women with a personal or family history of breast, ovarian, tubal, or peritoneal cancer or who have an ancestry associated with breast cancer susceptibility 1 and 2 (BRCA1/2) gene mutations with an appropriate brief familial risk assessment tool. Women with a positive result on the risk assessment tool should receive genetic counseling and, if indicated after counseling, genetic testing.	Risk Assessment Included as part of a preventive exam and not eligible for separate reimbursement. Genetic Counseling Adult women 96040 Genetic Testing Limited to one per lifetime for women. Preauthorization required. 81162, 81163, 81164, 81165, 81166, 81167, 81212, 81215, 81216, 81217	Must be billed with one of the following ICD-10 codes:  Genetic Counseling  Z80.3, Z80.41
Breast Cancer (Mammography) Screening  USPSTF "B" Recommendation January 2016  The USPSTF recommends biennial screening mammography for women aged 50–74 years.  HRSA Recommendation December 2019  The Women's Preventive Services Initiative recommends that average-risk women initiate mammography screening no earlier than age 40 and no later than age 50. Screening mammography should occur at least biennially and as frequently as annually. Screening should continue through at least age 74 and age alone should not be the basis to discontinue screening. These screening recommendations are for women at average risk of breast cancer.  Women at increased risk should also undergo periodic mammography screening, however, recommendations for additional services are beyond the scope of this recommendation.	Limited to one per calendar year for women aged 40 years and older 77063, 77067, Revenue Code 0403	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
Breastfeeding Services and Supplies  HRSA Requirement October 2020  The Women's Preventive Services Initiative recommends comprehensive lactation support services (including counseling, education, and breastfeeding equipment and supplies) during the antenatal, perinatal, and postpartum periods to ensure the successful initiation and maintenance of breastfeeding.	Counseling Maximum of six per calendar year 98960, S9443 Breast Pump Maximum of one every three calendar years E0603	Counseling  Must be billed with ICD-10 code Z39.1  Breast Pump  Must be billed with one of the ICD-10 codes in <u>Diagnosis List B</u> or Z39.1
Cervical Cancer Screening  USPSTF "A" Recommendation August 2018  The USPSTF recommends screening for cervical cancer every three years with cervical cytology alone in women aged 21–29 years. For women aged 30–65 years, the USPSTF recommends screening every three years with cervical cytology alone, every five years with high-risk human papillomavirus (hrHPV) testing alone, or every five years with hrHPV testing in combination with cytology (cotesting).  HRSA Requirement October 2020  The Women's Preventive Services Initiative recommends cervical cancer screening for average-risk women aged 21–65 years. For women aged 21–29 years, the Women's Preventive Services Initiative recommends cervical cancer screening using cervical cytology (Pap test) every three years. Cotesting with cytology and human papillomavirus testing is not recommended for women younger than 30 years. Women aged 30–65 years should be screened with cytology and human papillomavirus testing every five years or cytology alone every three years. Women who are at average risk should not be screened more than once every three years.  Bright Futures  Recommends cervical dysplasia screening for adolescents aged 21 years.	Limited to one every calendar year for women aged 21-65 years (ends on 66th birthday)  HPV Screening  87624, 87625  Papanicolaou (Pap) Smear  88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88164, 88165, 88166, 88167, 88174, 88175	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>

PREVENTIVE SERVICE	PROCEDURE CODE(S)	ICD-10-CM CODE(S)
Colorectal Cancer Screening  USPSTF "A" Recommendation May 2021  The USPSTF recommends screening for colorectal cancer starting at age 50 years and continuing until age 75 years. The risks and benefits of different screening methods vary.  USPSTF "B" Recommendation May 2021  The USPSTF recommends screening for colorectal cancer in adults aged 45-49 years.	Fecal occult blood (FOBT) and FIT Limited to one every calendar year for adults ages 45–75 years (ends on 76th birthday) 82270, 82274 FIT-DNA Limited to one every three calendar years for adults aged 45–75 years 81528 Sigmoidoscopy Limited to one every five calendar years for adults aged 45–75 years 45330, 45331, 45333, 45338, 45346 Colonoscopy Limited to one every five calendar years for adults aged 45–75 years 45380, 45384, 45385, 45388 Facility 0750 Pathology 88305 Anesthesia 00812 See Medications (Retail Pharmacy) for covered bowel preparation drugs.	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
USPSTF "B" Recommendation January 2016  The USPSTF recommends screening for depression in the general adult population, including pregnant and postpartum women.  Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up.  Perinatal Depression: Preventive Interventions  USPSTF "B" Recommendation February 2019  The USPSTF recommends that clinicians provide or refer pregnant and postpartum persons who are at increased risk of perinatal depression to counseling interventions.  Depression in Children and Adolescents Screening  USPSTF "B" Recommendation February 2016  The USPSTF recommends screening for major depressive disorder (MDD) in adolescents aged 12–18 years. Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up.  Bright Futures  Recommends depression screening for adolescents between the ages of 11 and 21 years.	Limited to one per calendar year for individuals 11 years and older G0444	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>

PREVENTIVE SERVICE	PROCEDURE CODE(S)	ICD-10-CM CODE(S)
Bright Futures  Bright Futures recommends the following:  A formal, standardized developmental screen is recommended during the 9-month visit.  A formal, standardized developmental screen is recommended during the 18-month visit, including a formal autism screen.  A formal, standardized autism screen is recommended during the 24-month visit.  A formal, standardized developmental screen is recommended during the 30-month visit.	Limited to four per lifetime for children 3 years and younger 96110	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
Diet Counseling for Cardiovascular Disease Prevention  USPSTF "B" Recommendation November 2020  The USPSTF recommends offering or referring adults with cardiovascular disease risk factors to behavioral counseling interventions to promote a healthy diet and physical activity.	Limited to three visits per calendar year G0446	Must be billed with one of the following ICD-10 codes E10.10-E10.9, E11.00-E11.9, E13.00-E13.9, E66.3, E75.6, E78.00, E78.70, E78.1, E78.2, E78.79, E78.89, E78.9, E88.81, E88.89, I10, I11.0, I11.9, R73.01-R73.03, R73.09, R73.9
Fluoride: Dental Caries Prevention for Children  USPSTF "B" Recommendation May 2014  Children From Birth Through Age 5 Years  The USPSTF recommends that primary care clinicians prescribe oral fluoride supplementation starting at age 6 months for children whose water supply is deficient in fluoride.  Children From Birth Through Age 5 Years  The USPSTF recommends that primary care clinicians apply fluoride varnish to the primary teeth of all infants and children starting at the age of primary tooth eruption.	Topical Varnish  Limited to two per calendar year for children aged 5 years and younger  99188  Oral Fluoride Supplementation  See Medications (Retail Pharmacy) for covered oral fluoride.	
Hearing Loss in Newborns Screening	Limited to one per lifetime for ages 0- 90 days 92650, Revenue Codes 0470, 0471	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
High Blood Pressure Screening  USPSTF "A" Recommendation October 2015  The USPSTF recommends screening for high blood pressure in adults aged 18 years or older. The USPSTF recommends obtaining measurements outside of the clinical setting for diagnostic confirmation before starting treatment.	Office-based Included as part of a preventive exam and not eligible for separate reimbursement.  Ambulatory Limited to one per calendar year for adults 18 years and older 93784	Must be billed with the following ICD- 10 code: R03.0
Laboratory Tests		
<ul> <li>Abnormal blood glucose and type 2 diabetes mellitus screening</li> </ul>	Limited to one laboratory test per calendar year 82947, 83036	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
Asymptomatic bacteriuria screening	<i>Limited to two per calendar year.</i> 87081, 87084, 87086, 87088	Must be billed with one of the ICD-10 codes in <u>Diagnosis List B</u>

PREVENTIVE SERVICE	PROCEDURE CODE(S)	ICD-10-CM CODE(S)
Chlamydia and gonorrhea screening	Limited to one per calendar year Chlamydia 86631, 86632, 87110, 87270, 87490, 87491, 87492 Gonorrhea 87590, 87591, 87592, 87850	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u> or <u>Diagnosis List B</u>
Cholesterol screening	Limited to one per calendar year 80061, 82465, 83718	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
Diabetes mellitus after pregnancy screening	Limited to one laboratory test per calendar year 82947, 83036	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
Dyslipidemia screening	Once between 9 and 11 years of age, and once between 17 and 21 years of age 80061, 82465, 83718, 84478	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
Gestational diabetes screening	Limited to one laboratory test per calendar year 82950, 82951, 82952	Must be billed with one of the ICD-10 codes in <u>Diagnosis List B</u>
Hematocrit or hemoglobin screening	Limited to one per calendar year 85014, 85018	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
Hepatitis B virus infection screening	Nonpregnant Adolescents and Adults Limited to one per calendar year 86704, 86705, 86706, 87340, 87341, G0499 Pregnant Women Limited to one per calendar year 80055, 80081	Nonpregnant Adolescents and Adults  Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u> Pregnant Women  Must be billed with one of the ICD-10 codes in <u>Diagnosis List B</u>
Hepatitis C virus infection screening in adolescents and adults	Limited to one per calendar year 86803, 86804, 87520, 87521, 87522, G0472	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
HIV screening	Limited to one per calendar year 86689, 86701, 86702, 86703, 87389, 87390, 87391	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u> or <u>Diagnosis List B</u>
Newborn bilirubin screening	Limited to two laboratory tests under age 1 year 82247, 88720	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
Newborn blood screening	Limited to one per lifetime S3620	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>

PREVENTIVE SERVICE	PROCEDURE CODE(S)	ICD-10-CM CODE(S)
RH incompatibility screening (pregnant women)	Limited to two per calendar year 80055, 86901	Must be billed with one of the ICD-10 codes in <u>Diagnosis List B</u>
Syphilis screening	Limited to one per calendar year 86592, 86780	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u> or <u>Diagnosis List B</u>
Tuberculosis (TB) testing	Limited to one per calendar year 86580	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
Lung Cancer Screening  USPSTF "B" Recommendation December 2013  The USPSTF recommends annual screening for lung cancer with low-dose computed tomography (LDCT) in adults aged 55–80 years who have a 30 pack-year smoking history and currently smoke or have quit within the past 15 years. Screening should be discontinued once a person has not smoked for 15 years or develops a health problem	Limited to one per calendar year for adults aged 55-80 years 71271, Revenue Code 0352	Must be billed with the following ICD- 10 code: Z12.2
that substantially limits life expectancy or the ability or willingness to have curative lung surgery.  Medications (Retail Pharmacy)	Must be filled at a pharmacy with a valid j	procesintian
<ul> <li>Aspirin to help prevent cardiovascular disease, colorectal cancer, and preeclampsia for individuals younger than 60 years         <ul> <li>Generic OTC 81 mg and 325 mg strengths when filled with a valid prescription</li> </ul> </li> <li>Bowel preparation medications for colorectal cancer screening for adults aged 45–75 years         <ul> <li>Generic Rx and OTC bowel preparation medications for colonoscpy (e.g., Colyte, Golytely, Halflytely, and Moviprep)</li> </ul> </li> <li>Breast cancer preventive medications for women 35 years of age and older who are at an increased risk (Rx) (e.g., Tamoxifen, Raloxifene)</li> <li>Fluoride supplements to help prevent cavities (dental caries) in children aged five years or younger         <ul> <li>Generic OTC and Rx fluoride</li> </ul> </li> <li>Folic Acid supplement to help prevent birth defects in women aged 55 or younger         <ul> <li>Generic OTC and Rx folic acid</li> </ul> </li> <li>Statins for the prevention of cardiovascular disease in adults aged 40–75 who are at risk         <ul> <li>Generic low to moderate intensity statins (Rx) (e.g., Lovastatin, Pravastatin, Simvastatin)</li> </ul> </li> <li>Tobacco Cessation Products (nonpregnant adults)         <ul> <li>Generic nicotine replacement products: patches, gum, and lozenges</li> <li>Generic Bupropion</li> <li>Brand-name Chantix, Nicotrol (inhaler), and Nicotrol NS (nasal spray)</li> </ul> </li> <li>Vaccines: Children and Adults         <ul> <li>Refer to CDC Guidelines for details</li> </ul> </li> </ul>		

PREVENTIVE SERVICE	PROCEDURE CODE(S)	ICD-10-CM CODE(S)
Obesity Screening and Behavioral Interventions  USPSTF "B" Recommendation September 2018  The USPSTF recommends that clinicians offer or refer adults with a body mass index (BMI) of 30 or higher (calculated as weight in kilograms divided by height in meters squared) to intensive, multicomponent behavioral interventions.  Obesity in Children and Adolescents: Screening  USPSTF "B" Recommendation June 2017  The USPSTF recommends that clinicians screen for obesity in children and adolescents 6 years and older and offer them or refer them to comprehensive, intensive behavioral interventions to promote improvement in weight status.	Limited to three visits per calendar year G0447	Must be billed with one of the following ICD-10 codes:  Z04.6, Z13.1, E66.01 - E66.1, E66.8 - E66.9
Osteoporosis Screening  USPSTF "B" Recommendation June 2018  The USPSTF recommends screening for osteoporosis with bone measurement testing to prevent osteoporotic fractures in women 65 years and older.  The USPSTF recommends screening for osteoporosis with bone measurement testing to prevent osteoporotic fractures in postmenopausal women younger than 65 years who are at increased risk of osteoporosis, as determined by a formal clinical risk assessment tool.	Limited to one per lifetime for adult women 76977, 77078, 77080, 77081, Revenue Code 0770	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
Tobacco Use Interventions (Rx)  USPSTF "B" Recommendation April 2020  The USPSTF recommends that primary care clinicians provide interventions, including education or brief counseling, to prevent initiation of tobacco use among school-aged children and adolescents.  The USPSTF concludes that the current evidence is insufficient to assess the balance of benefits and harms of pharmacotherapy interventions for tobacco cessation in pregnant persons.	See <u>Medications (Retail Pharmacy)</u> for covered tobacco cessation products.	
Tobacco Use Prevention: Counseling and Interventions  USPSTF "A" Recommendation January 2021  Nonpregnant adults  The USPSTF recommends that clinicians ask all adults about tobacco use, advise them to stop using tobacco, and provide behavioral interventions and U.S. Food and Drug Administration (FDA)-approved pharmacotherapy for cessation to nonpregnant adults who use tobacco.  USPSTF "A" Recommendation January 2021  Pregnant persons  The USPSTF recommends that clinicians ask all pregnant persons about tobacco use, advise them to stop using tobacco, and provide behavioral interventions for cessation to pregnant persons who use tobacco.	Limited to eight visits per calendar year 99406, 99407	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>

PREVENTIVE SERVICE	PROCEDURE CODE(S)	ICD-10-CM CODE(S)
Tuberculosis (TB) Screening  USPSTF "B" Recommendation September 2016  The USPSTF recommends screening for latent tuberculosis infection (LTBI) in populations at increased risk.  Bright Futures  Bright Futures recommends tuberculosis testing if the risk assessment is positive for individual's aged prenatal to 21 (ends on 22nd birthday).	Limited to one per calendar year 86580	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
Unhealthy Alcohol Use in Adolescents and Adults  USPSTF "B" Recommendation November 2018  The USPSTF recommends screening for unhealthy alcohol use in primary care settings for adults 18 years or older, including pregnant women, and providing persons engaged in risky or hazardous drinking with brief behavioral counseling interventions to reduce unhealthy alcohol use.  Bright Futures  Recommends alcohol and drug use assessments for adolescents between the ages of 11 and 21 years.	Limited to three per calendar year for individuals 11 years and older 99408, 99409	Must be billed with one of the ICD-10 codes in <u>Diagnosis List A</u>
Vaccines: Children and Adults  Children  COVID-19 Diphtheria, Tetanus, Pertussis Haemophilus Influenzae Type B Hepatitis A Hepatitis B Human Papillomavirus Influenza Measles, Mumps, Rubella Meningococcal Pneumococcal Rotavirus Varicella  Adults  COVID-19 Hepatitis B Herpes Zoster Human Papillomavirus Influenza Measles, Mumps, Rubella	DMBA follows the guidelines published by the Centers for Disease Control and Prevention.	Subject to correct coding guidelines

### **DIAGNOSIS LIST A**

Z00.00	Encounter for general adult medical examination without abnormal findings
Z00.01	Encounter for general adult medical examination with abnormal findings
Z00.110	Health examination for newborn under 8 days old
Z00.111	Health examination for newborn 8-28 days old
Z00.121	Encounter for routine child health examination with abnormal findings
Z00.129	Encounter for routine child health examination without abnormal findings
Z00.8	Encounter for other general examination
Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings
Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings
Z02.83	Encounter for blood-alcohol and blood-drug test
Z11.1	Encounter for screening for respiratory tuberculosis
Z11.3	Encounter for screening for infections with a predominantly sexual mode of transmission
Z11.4	Encounter for screening for human immunodeficiency virus (HIV)
Z11.51	Encounter for screening for human papillomavirus (HPV)
Z11.7	Encounter for testing for latent tuberculosis infection
Z12.11	Encounter for screening for malignant neoplasm of colon
Z12.12	Encounter for screening for malignant neoplasm of rectum
Z12.2	Encounter for screening for malignant neoplasm of respiratory organs
Z12.31	Encounter for screening mammogram for malignant neoplasm of breast
Z12.39	Encounter for other screening for malignant neoplasm of breast
Z12.4	Encounter for screening for malignant neoplasm of cervix
Z13.0	Encounter for screening for diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
Z13.1	Encounter for screening for diabetes mellitus
Z13.220	Encounter for screening for lipoid disorders
Z13.31	Encounter for screening for depression
Z13.32	Encounter for screening for maternal depression
Z13.40	Encounter for screening for unspecified developmental delays
Z13.41	Encounter for autism screening
Z13.42	Encounter for screening for global developmental delays (milestones)
Z13.5	Encounter for screening for eye and ear disorders
Z13.6	Encounter for screening for cardiovascular disorders
Z13.820	Encounter for screening for osteoporosis
Z23	Encounter for immunization
Z32.2	Encounter for childbirth instruction
Z71.3	Dietary counseling and surveillance
Z71.41	Alcohol abuse counseling and surveillance of alcoholic
Z71.51	Drug abuse counseling and surveillance of drug abuser
Z71.6	Tobacco abuse counseling
Z71.7	Human immunodeficiency virus (HIV) counseling
Z71.82	Exercise counseling
Z71.83	Encounter for nonprocreative genetic counseling
786 32	Personal history of gestational diabetes

### **DIAGNOSIS LIST B**

009.00	Supervision of pregnancy with history of infertility, unspecified trimester
009.01	Supervision of pregnancy with history of infertility, first trimester
009.02	Supervision of pregnancy with history of infertility, second trimester
009.03	Supervision of pregnancy with history of infertility, third trimester
009.10	Supervision of pregnancy with history of ectopic pregnancy, unspecified trimester
009.11	Supervision of pregnancy with history of ectopic pregnancy, first trimester
009.12	Supervision of pregnancy with history of ectopic pregnancy, second trimester
009.13	Supervision of pregnancy with history of ectopic pregnancy, third trimester
009.A0	Supervision of pregnancy with history of molar pregnancy, unspecified trimester
009.A1	Supervision of pregnancy with history of molar pregnancy, first trimester
009.A2	Supervision of pregnancy with history of molar pregnancy, second trimester
009.A3	Supervision of pregnancy with history of molar pregnancy, third trimester
009.211	Supervision of pregnancy with history of pre-term labor, first trimester
009.212	Supervision of pregnancy with history of pre-term labor, second trimester
009.213	Supervision of pregnancy with history of pre-term labor, third trimester
009.219	Supervision of pregnancy with history of pre-term labor, unspecified trimester
009.291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester
009.292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester
009.293	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester
009.299	$Supervision \ of \ pregnancy \ with \ other \ poor \ reproductive \ or \ obstetric \ history, \ unspecified \ trimester$
009.30	Supervision of pregnancy with insufficient antenatal care, unspecified trimester
009.31	Supervision of pregnancy with insufficient antenatal care, first trimester
009.32	Supervision of pregnancy with insufficient antenatal care, second trimester
009.33	Supervision of pregnancy with insufficient antenatal care, third trimester
009.40	Supervision of pregnancy with grand multiparity, unspecified trimester
009.41	Supervision of pregnancy with grand multiparity, first trimester
009.42	Supervision of pregnancy with grand multiparity, second trimester
009.43	Supervision of pregnancy with grand multiparity, third trimester
009.511	Supervision of elderly primigravida, first trimester
009.512	Supervision of elderly primigravida, second trimester
009.513	Supervision of elderly primigravida, third trimester
009.519	Supervision of elderly primigravida, unspecified trimester
009.521	Supervision of elderly multigravida, first trimester
009.522	Supervision of elderly multigravida, second trimester
009.523	Supervision of elderly multigravida, third trimester
009.529	Supervision of elderly multigravida, unspecified trimester
009.611	Supervision of young primigravida, first trimester
009.612	Supervision of young primigravida, second trimester
009.613	Supervision of young primigravida, third trimester
009.619	Supervision of young primigravida, unspecified trimester
009.621	Supervision of young multigravida, first trimester
009.622	Supervision of young multigravida, second trimester
009 623	Supervision of young multigravida third trimester

009.629	Supervision of young multigravida, unspecified trimester
009.70	Supervision of high-risk pregnancy due to social problems, unspecified trimester
009.71	Supervision of high-risk pregnancy due to social problems, first trimester
009.72	Supervision of high-risk pregnancy due to social problems, second trimester
009.73	Supervision of high-risk pregnancy due to social problems, third trimester
009.811	Supervision of pregnancy resulting from assisted reproductive technology, first trimester
009.812	Supervision of pregnancy resulting from assisted reproductive technology, second trimester
009.813	Supervision of pregnancy resulting from assisted reproductive technology, third trimester
009.819	Supervision of pregnancy resulting from assisted reproductive technology, unspecified trimester
009.821	Supervision of pregnancy with history of in utero procedure during previous pregnancy, first trimester
009.822	Supervision of pregnancy with history of in utero procedure during previous pregnancy, second trimester
009.823	Supervision of pregnancy with history of in utero procedure during previous pregnancy, third trimester
009.829	Supervision of pregnancy with history of in utero procedure during previous pregnancy, unspecified trimester
009.891	Supervision of other high-risk pregnancies, first trimester
009.892	Supervision of other high-risk pregnancies, second trimester
009.893	Supervision of other high-risk pregnancies, third trimester
009.899	Supervision of other high-risk pregnancies, unspecified trimester
009.90	Supervision of high-risk pregnancy, unspecified, unspecified trimester
009.91	Supervision of high-risk pregnancy, unspecified, first trimester
009.92	Supervision of high-risk pregnancy, unspecified, second trimester
009.93	Supervision of high-risk pregnancy, unspecified, third trimester
036.80X0	Pregnancy with inconclusive fetal viability, not applicable or unspecified
036.80X1	Pregnancy with inconclusive fetal viability, fetus 1
036.80X2	Pregnancy with inconclusive fetal viability, fetus 2
036.80X3	Pregnancy with inconclusive fetal viability, fetus 3
036.80X4	Pregnancy with inconclusive fetal viability, fetus 4
036.80X5	Pregnancy with inconclusive fetal viability, fetus 5
036.80X9	Pregnancy with inconclusive fetal viability, other fetus
Z34.00	Encounter for supervision of normal first pregnancy, unspecified trimester
Z34.01	Encounter for supervision of normal first pregnancy, first trimester
Z34.02	Encounter for supervision of normal first pregnancy, second trimester
Z34.03	Encounter for supervision of normal first pregnancy, third trimester
Z34.80	Encounter for supervision of other normal pregnancy, unspecified trimester
Z34.81	Encounter for supervision of other normal pregnancy, first trimester
Z34.82	Encounter for supervision of other normal pregnancy, second trimester
Z34.83	Encounter for supervision of other normal pregnancy, third trimester
Z34.90	Encounter for supervision of normal pregnancy, unspecified, unspecified trimester
Z34.91	Encounter for supervision of normal pregnancy, unspecified, first trimester
Z34.92	Encounter for supervision of normal pregnancy, unspecified, second trimester
Z34.93	Encounter for supervision of normal pregnancy, unspecified, third trimester